Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	626	(determin46 or identif$5 or detect$4 or calculat$4 or estimat$4 or measur$5)near6 (buffer near4 queu$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:06
L2	6	((determin46 or identif$5 or detect$4 or calculat$4 or estimat$4 or measur$5)near6 (number near4 (command or instruction)))same(buffer near4 queu$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:16
L3	2	(characteristic$1 or activit$3 or busy or idle)near6 ((number near4 (command or instruction))same(buffer near4 queu$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:19
L4	29	(operati$4 or process$4 or perform$4)with ((number near4 (command or instruction))same(buffer near4 queu$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:22
L5	10664	((power or energy)near6 (consumption or consum$5 or sav$4 or reduc$4 or optimiz$4 or minimiz$5 or switch$4 or alter$5))with (characteristic or (number near4 (command or instruction))same(buffer near4 queu$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:25
L6	2186	((power or energy)near6 (consumption or consum$5 or sav$4 or reduc$4 or optimiz$4 or minimiz$5 or switch$4 or alter$5))with (system near3 (performance or activity or characteristic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:28
L7	1	l6 same (pending near3 (instruction or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:29

L8	80	I6 and (((rate near6 buffer)or pending or type) near3 (instruction or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:50
L9	2	I6 same (((rate near6 buffer)or pending or type) near3 (instruction or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:31
L10	120	((operati$4 or system or process$4)near4 (characteristic$1 or activity or performance))with (((rate near6 buffer)or pending or type) near3 (instruction or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:53
L11	6	I10 same ((power or energy)near4 (consum$5 or conserv$5 or sav$4 or utiliz$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:39
L12	21	I10 and ((power or energy)near4 (consum$5 or conserv$5 or sav$4 or utiliz$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:39
L13	0	I15 same (((rate near6 buffer)or pending or type) near3 (instruction or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:08
L14	2	I5 and (((operati$4 or system or process$4)near4 (characteristic$1 or activity or performance))with (((rate near6 buffer)or pending or type) near3 (instruction or command)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:56
L15	22	((switch$4 or alter$4 or chang$4 or adjust$4)near6((power or energy)near3 (mode or state)))with (operati$4 near4 characteristic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:14

L16	1	I5 same (((rate near6 buffer)or pending or type) near3 (instruction or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:10
L17	15	((switch$4 or alter$4 or chang$4 or adjust$4)near6((power or energy)near3 (mode or state)))with ((process$4 or system or cpu) near4 characteristic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:19
L18	1402	(determin$4 or detect$4 or monitor$4)near6 ((instruction$1 or command$1 or operand)near4 queu$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:22
L19	128	I18 with buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:23
L20	41	I18 with (instruction near2 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:23
L21	0	I20 same (power or energy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:23
L22	10	I20 and (power or energy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:24